

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.


I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	KENNETH L. DREYER		LICENSE NUMBER (or Affix Seal)	LS-8202	
TITLE	SEC/TRRS		COMPANY NAME	LANTECH INC	
ADDRESS	440 WEST BENSON #703	CITY	ANCHORAGE	STATE	ALASKA
				ZIP	99503
SIGNATURE	<i>[Signature]</i>	DATE	8/20/1999	PHONE	907 562-5291

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: VERTICAL DATUM IS GREATER ANCHORAGE AREA BOROUGH, POST QUAKE, U.S. COASTAL AND GEODETIC SURVEY, MEAN SEA LEVEL OF 1972.

REFERENCE LEVEL IS CONSTRUCTED, ADDITIONAL LEVELS ARE UNDER CONSTRUCTION



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.