æΑ

ELEVATION CERTIFICATE

O.M.B. No. 3047-0027 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

mangenona to: com				FOR INSURANCE COMPANY USE
SECTION A PROPERTY INFORMATION			POLICY NUMBER	
BUILDING OWNER'S NAME ANGELA PHILLIPS				COMPANY NAIC NUMBER
STREET ADDRESS (Including Apt., Unit. Suite and/or Bidg. Number) OR P.O. ROUTE AND BOX NUMBER				COMPANY NAME NOTICE
OTHER DESCRIPTION (Lot and Block Numbers, etc.)	ITH AC	COITION TO THE		TIPE OF ANCHORA
CITY ANCHORAGE			STATE	KA 99501
SECTION B FLO	OO INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the proper FIRM (See In	nstructions):	· . · · · .		
1. COMMONITY NUMBER 2. PANEL NUMBER .	3.SUFFIX!	A. BATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones use depth)
020005 02308	B	09-18-87	A-/	19.0
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): □NGVD '29 ☑ Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site. indicate the community's BFE: □ □ □ □ teet NGVD (or other bibM datum—set against 4.				
SECTION C BUILDING ELEVATION INFORMATION				
describes the subject building's reference level 2(a). FIRM Zones AT-A30, AE, AH, and A (with BF of	A datum—see The bottom as the refere acent to the tence level fro ing. If no flood cunity's floodp etermining the elevation datu in the elevation ithe elevation ithe elevation ithe elevation ithe elevation	Section 8, Item 7). of the lowest horizontal struction 1, teet NGVD (or other FIF ince level from the selecte building. In the selected diagram is depth number is available above reference level elements to the datum system of the	ructural member IM datum-see S d diagram is feet le, is the building ce? Yes evations: NG elevations is diffused on the FIRM on Page 4)	above or below (check g's lowest floor (reference No Unknown sVD '29 Other (describe frent than that used on M and show the conversion
 5. The reference level elevation is based on: X (NOTE: Use of construction drawings is only v case this certificate will only be valid for the built will be required once construction is complete.) 6. The elevation of the lowest grade immediately 	ralid it the bui Iding during t	the course of construction.	A post-constru	0.0.0.0
 The elevation of the lowest grade immediately Section B. Item 7). 	adjacent to ti	ne outlaing is: (,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	J. George 1901 V.	
ŞĒ	CTION D C	COMMUNITY INFORMAT	ON	
1. If the community official responsible for verifying is not the "lowest floor" as defined in the community of the ordinance is: 2. Date of the start of construction or substantial.	nunity s 1600) (est	NGVD (or other FIRM da	ICE, ING GIRAGIO	11 01 (110 2010 13 - 1

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway and dealaway wall enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), the clist the Feature(s) and included in the certification under Comments below. The diagram number, Section C, Item 1, must still be prefer.


I certify that the information in Sections B and C on this certificate represents my best efforts to interpret I understand that any laise statement may be punishable by fine or imprisonment under 18 U.S. Company of the

CERTIFIER'S NAME

CERTIFIER'S NAME

COMPANY NAME

COMPANY



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.