ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

NATIONAL FLOOD INSURANCE PROGRAM

007-096-12

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

| | mstructions for co | inpleting this i | orm can be lound on tr | e lollowing pag | | | | | | | |
|--|--|---|---|-------------------------------------|---------------------------|--|--|--|--|--|--|
| | | FOR INSURANCE COMPANY USE | | | | | | | | | |
| BUILDING OWNER'S NAME Soinell Home | | POLICY NUMBER | | | | | | | | | |
| STREET ADDRESS (Including Ap | | COMPANY NAIC NUMBER | | | | | | | | | |
| OTHER DESCRIPTION (Lot and 1) | Block Numbers, etc.) E95+19KR S | bd. Add | n. No. 2 | | | | | | | | |
| Anchorage | state Alaska | ZIP CODE 99504 | | | | | | | | | |
| | SECTION B F | LOOD INSURA | NCE RATE MAP (FIRM) | INFORMATION | | | | | | | |
| Provide the following from the proper FIRM (See Instructions): | | | | | | | | | | | |
| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION | | | | | | |
| 020005 | 0242 | В | 09-18-87 | A | (in AO Zones, use depth) | | | | | | |
| 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):NGVD '29 \(\sum_Q \) Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: \(\frac{1}{2020} \sum_Q \) feet NGVD (or other FIRM datum-see Section B, Item 7). | | | | | | | | | | | |
| | SECTION | ON C BUILDII | NG ELEVATION INFORM | ATION | 3 | | | | | | |
| 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of i 2 10 15 13 feet NGVD (or other FIRM datum—see Section B, Item 7). (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of feet NGVD (or other FIRM datum—see Section B, Item 7). (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? Yes No Unknown 3. Indicate the elevation datum system used in determining the above reference level elevations: NGVD '29 \(\overline{\text{V}} \) Other (describe under Comments on Page 2). (NOTE: If the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.) | | | | | | | | | | | |
| 4. Elevation reference mark | | | | • | | | | | | | |
| The reference level eleval (NOTE: Use of construc case this certificate will or will be required once const | tion drawings is only nly be valid for the bu struction is complete. | valid if the build ilding during th) | ding does not yet have the ecourse of construction. | reference level A post-construct | ion Elevation Certificate | | | | | | |
| 5. The elevation of the lowest grade immediately adjacent to the building is: 203 5 feet NGVD (or other FIRM datum-see Section B, Item 7). | | | | | | | | | | | |
| | S | ECTION D CO | OTAMPONI YTINUMMC | N | | | | | | | |
| is not the "lowest floor" a | is defined in the compordinance is: | munity's floodpl | lain management ordinan NGVD (or other FIRM dati | ce, the elevation um-see Section | | | | | | | |


SECTION E CERTIFICATION

certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

| Jett | A. Gastaldi | | LS- | 6091 | (Alaska | <u>) </u> | | | | | |
|------------------|---------------------------|-------------------------|------------------|-----------|------------------|--|----------|--|--|--|--|
| CERTIFIER'S NAME | Sastaldi Land Surreying | | | | | | | | | | |
| <u>owner</u> | | 6954910 | Land S | Ur / Cy ? | 75 | | | | | | |
| TITLE | | COMPAN | . / . | | | | | | | | |
| 4726 V | v. 68 15 | Ancho | A | lask 9 | 99502 | | | | | | |
| ADDRESS | , Smitald | CITY | . 7/14 | 192 | 907-24 | state 8-54 <i>5</i> 4 | ZIP | | | | |
| SIGNATURE () | | | | ATE | PHONE | | | | | | |
| Copies should | be made of this Certifica | te for: 1) community of | ficial, 2) insur | ance agen | t/company, and 3 |) building o | wner. | | | | |
| COMMENTS: _ | Section 8; | Item No.7. | - 1972 | NGS | Datum | ., , | | | | | |
| | Section C; | Item No.3. | 1972 | NFS | Datom | ····· | 5 | | | | |
| | | | | | | | | | | | |



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.